

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 4 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,013</b>	<b>4.3%</b>	<b>61,008</b>	<b>65.7%</b>	<b>14,292</b>	<b>15.4%</b>	<b>13,507</b>	<b>14.6%</b>	<b>92,820</b>
ALAMANCE	24	2.0%	756	63.1%	225	18.8%	194	16.2%	1,199
ALEXANDER	23	5.3%	271	62.9%	63	14.6%	74	17.2%	431
ALLEGHANY	1	0.7%	87	61.7%	25	17.7%	28	19.9%	141
ANSON	27	6.2%	287	66.3%	54	12.5%	65	15.0%	433
ASHE	26	7.0%	254	68.1%	48	12.9%	45	12.1%	373
AVERY	6	2.8%	136	64.5%	37	17.5%	32	15.2%	211
BEAUFORT	22	3.3%	426	63.7%	103	15.4%	118	17.6%	669
BERTIE	42	10.0%	280	66.5%	46	10.9%	53	12.6%	421
BLADEN	33	6.1%	355	65.3%	80	14.7%	76	14.0%	544
BRUNSWICK	20	2.2%	619	67.7%	134	14.6%	142	15.5%	915
BUNCOMBE	88	4.2%	1,313	63.4%	355	17.1%	315	15.2%	2,071
BURKE	34	4.1%	535	64.4%	138	16.6%	124	14.9%	831
CABARRUS	77	3.8%	1,260	62.9%	347	17.3%	318	15.9%	2,002
CALDWELL	32	2.8%	702	61.2%	221	19.3%	192	16.7%	1,147
CAMDEN	19	15.2%	78	62.4%	11	8.8%	17	13.6%	125
CARTERET	16	3.8%	265	63.7%	66	15.9%	69	16.6%	416
CASWELL	4	1.5%	186	67.6%	45	16.4%	40	14.5%	275
CATAWBA	19	3.1%	384	61.9%	107	17.3%	110	17.7%	620
CHATHAM	20	3.0%	418	63.4%	112	17.0%	109	16.5%	659
CHEROKEE	8	4.7%	119	70.4%	23	13.6%	19	11.2%	169
CHOWAN	2	0.8%	164	63.1%	45	17.3%	49	18.8%	260
CLAY	8	5.4%	86	58.1%	29	19.6%	25	16.9%	148
CLEVELAND	72	6.6%	767	70.8%	135	12.5%	109	10.1%	1,083
COLUMBUS	42	4.6%	593	64.5%	162	17.6%	123	13.4%	920
CRAVEN	45	3.7%	763	62.3%	223	18.2%	194	15.8%	1,225

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 4 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,013</b>	<b>4.3%</b>	<b>61,008</b>	<b>65.7%</b>	<b>14,292</b>	<b>15.4%</b>	<b>13,507</b>	<b>14.6%</b>	<b>92,820</b>
CUMBERLAND	337	6.9%	3,614	74.1%	549	11.3%	377	7.7%	4,877
CURRITUCK	5	2.7%	126	68.9%	30	16.4%	22	12.0%	183
DARE	3	1.2%	155	64.3%	44	18.3%	39	16.2%	241
DAVIDSON	53	4.0%	945	70.8%	192	14.4%	144	10.8%	1,334
DAVIE	7	2.1%	231	67.9%	56	16.5%	46	13.5%	340
DUPLIN	134	11.9%	667	59.4%	143	12.7%	178	15.9%	1,122
DURHAM	123	4.8%	1,575	61.7%	350	13.7%	504	19.7%	2,552
EDGECOMBE	30	3.0%	660	66.5%	141	14.2%	162	16.3%	993
FORSYTH	143	4.1%	2,373	67.6%	511	14.6%	483	13.8%	3,510
FRANKLIN	25	4.2%	394	66.0%	87	14.6%	91	15.2%	597
GASTON	33	3.1%	705	66.6%	164	15.5%	157	14.8%	1,059
GATES	4	3.5%	72	62.6%	18	15.7%	21	18.3%	115
GRAHAM	12	6.8%	107	60.8%	29	16.5%	28	15.9%	176
GRANVILLE	23	3.9%	352	60.1%	122	20.8%	89	15.2%	586
GREENE	21	4.9%	269	62.9%	70	16.4%	68	15.9%	428
GUILFORD	122	3.4%	2,424	68.4%	518	14.6%	478	13.5%	3,542
HALIFAX	39	4.3%	596	66.3%	137	15.2%	127	14.1%	899
HARNETT	42	3.1%	940	69.5%	207	15.3%	164	12.1%	1,353
HAYWOOD	11	4.0%	175	64.1%	59	21.6%	28	10.3%	273
HENDERSON	21	3.2%	424	64.9%	110	16.8%	98	15.0%	653
HERTFORD	13	3.6%	252	69.4%	44	12.1%	54	14.9%	363
HOKE	30	3.9%	504	65.3%	108	14.0%	130	16.8%	772
HYDE	6	6.9%	51	58.6%	11	12.6%	19	21.8%	87
IREDELL	35	2.4%	1,007	68.1%	247	16.7%	189	12.8%	1,478
JACKSON	15	4.4%	201	58.9%	68	19.9%	57	16.7%	341

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 4 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,013</b>	<b>4.3%</b>	<b>61,008</b>	<b>65.7%</b>	<b>14,292</b>	<b>15.4%</b>	<b>13,507</b>	<b>14.6%</b>	<b>92,820</b>
JOHNSTON	31	2.7%	718	62.3%	194	16.8%	209	18.1%	1,152
JONES	6	3.7%	117	71.3%	22	13.4%	19	11.6%	164
LEE	18	2.3%	547	71.3%	96	12.5%	106	13.8%	767
LENOIR	62	8.5%	506	69.5%	90	12.4%	70	9.6%	728
LINCOLN	80	19.3%	279	67.2%	30	7.2%	26	6.3%	415
MACON	12	3.3%	221	61.4%	62	17.2%	65	18.1%	360
MADISON	7	2.8%	151	59.7%	40	15.8%	55	21.7%	253
MARTIN	26	7.2%	245	68.1%	49	13.6%	40	11.1%	360
MCDOWELL	26	4.3%	416	68.8%	83	13.7%	80	13.2%	605
MECKLENBURG	184	3.3%	3,541	63.2%	980	17.5%	896	16.0%	5,601
MITCHELL	9	3.8%	176	73.9%	17	7.1%	36	15.1%	238
MONTGOMERY	21	3.7%	341	60.0%	106	18.7%	100	17.6%	568
MOORE	31	4.3%	483	67.0%	103	14.3%	104	14.4%	721
NASH	70	7.9%	586	66.0%	119	13.4%	113	12.7%	888
NEW HANOVER	37	3.1%	805	67.3%	191	16.0%	164	13.7%	1,197
NORTHAMPTON	20	5.3%	218	57.5%	68	17.9%	73	19.3%	379
ONslow	102	3.9%	1,897	73.1%	375	14.5%	221	8.5%	2,595
ORANGE	35	3.1%	672	59.7%	209	18.6%	210	18.7%	1,126
PAMLICO	3	1.8%	107	62.6%	37	21.6%	24	14.0%	171
PASQUOTANK	27	4.6%	386	65.4%	94	15.9%	83	14.1%	590
PENDER	39	7.0%	351	62.9%	81	14.5%	87	15.6%	558
PERQUIMANS	5	3.4%	98	66.2%	19	12.8%	26	17.6%	148
PERSON	17	3.7%	306	66.4%	72	15.6%	66	14.3%	461
PITT	54	2.9%	1,187	64.7%	298	16.2%	297	16.2%	1,836
POLK	3	1.8%	108	64.7%	29	17.4%	27	16.2%	167

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

**Prevalence of Overweight, At-Risk for Overweight, and Underweight in  
Children 2 through 4 years of age, By County, NC-NPASS\*, 2005**

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	#
<b>STATEWIDE</b>	<b>4,013</b>	<b>4.3%</b>	<b>61,008</b>	<b>65.7%</b>	<b>14,292</b>	<b>15.4%</b>	<b>13,507</b>	<b>14.6%</b>	<b>92,820</b>
RANDOLPH	40	2.7%	872	59.8%	252	17.3%	295	20.2%	1,459
RICHMOND	159	15.6%	710	69.5%	81	7.9%	71	7.0%	1,021
ROBESON	112	5.3%	1,399	66.7%	297	14.1%	291	13.9%	2,099
ROCKINGHAM	83	7.8%	750	70.9%	109	10.3%	116	11.0%	1,058
ROWAN	29	2.2%	857	64.2%	238	17.8%	211	15.8%	1,335
RUTHERFORD	40	4.7%	580	67.8%	132	15.4%	104	12.1%	856
SAMPSON	55	4.6%	707	58.9%	199	16.6%	240	20.0%	1,201
SCOTLAND	49	6.8%	499	69.6%	89	12.4%	80	11.2%	717
STANLY	35	5.8%	417	68.6%	72	11.8%	84	13.8%	608
STOKES	17	4.0%	278	66.2%	68	16.2%	57	13.6%	420
SURRY	25	5.3%	319	67.7%	69	14.6%	58	12.3%	471
SWAIN	3	1.6%	139	73.2%	27	14.2%	21	11.1%	190
TRANSYLVANIA	7	2.5%	191	69.2%	38	13.8%	40	14.5%	276
TYRRELL	1	0.9%	71	62.8%	23	20.4%	18	15.9%	113
UNION	36	2.7%	872	65.0%	233	17.4%	200	14.9%	1,341
VANCE	34	4.3%	535	67.7%	116	14.7%	105	13.3%	790
WAKE	179	2.9%	3,966	63.4%	1,039	16.6%	1,072	17.1%	6,256
WARREN	31	7.8%	288	72.5%	41	10.3%	37	9.3%	397
WASHINGTON	37	12.0%	215	69.6%	25	8.1%	32	10.4%	309
WATAUGA	15	4.6%	224	68.1%	51	15.5%	39	11.9%	329
WAYNE	34	2.1%	1,028	63.8%	286	17.8%	263	16.3%	1,611
WILKES	21	2.6%	499	61.2%	143	17.5%	153	18.8%	816
WILSON	32	2.7%	747	62.8%	212	17.8%	199	16.7%	1,190
YADKIN	9	2.8%	188	58.2%	66	20.4%	60	18.6%	323
YANCEY	6	2.3%	182	69.2%	43	16.3%	32	12.2%	263
Eastern Band of Cherokee Indians	2	1.2%	90	55.9%	30	18.6%	39	24.2%	161

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4