

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	153	2.0%	3,861	51.1%	1,308	17.3%	ORDER	2,232	29.5%	ORDER	7,554
ALAMANCE	0	0.0%	10	52.6%	5	26.3%	70	4	21.1%	14	19
ALEXANDER								1			1
ALLEGHANY	0	0.0%	1	16.7%	3	50.0%	78	2	33.3%	54	6
ANSON	0	0.0%	10	62.5%	1	6.3%	3	5	31.3%	45	16
ASHE	2	1.7%	44	36.4%	33	27.3%	71	42	34.7%	61	121
AVERY	0	0.0%	5	33.3%	3	20.0%	56	7	46.7%	74	15
BEAUFORT ^{&}											
BERTIE	1	2.0%	25	50.0%	5	10.0%	11	19	38.0%	68	50
BLADEN	0	0.0%	7	58.3%	2	16.7%	37	3	25.0%	26	12
BRUNSWICK	4	6.5%	36	58.1%	10	16.1%	33	12	19.4%	10	62
BUNCOMBE	12	0.9%	651	50.8%	230	18.0%	44	388	30.3%	40	1,281
BURKE	0	0.0%	2	50.0%	0			2	50.0%	79	4
CABARRUS	2	1.8%	68	61.8%	15	13.6%	20	25	22.7%	19	110
CALDWELL	12	4.4%	121	44.2%	54	19.7%	55	87	31.8%	47	274
CAMDEN	0	0.0%	0	0.0%	0	0.0%		1			1
CARTERET	0	0.0%	2	50.0%	1	25.0%	68	1	25.0%	26	4
CASWELL	2	5.6%	14	38.9%	5	13.9%	21	15	41.7%	72	36
CATAWBA	3	0.7%	203	48.4%	77	18.4%	48	136	32.5%	50	419
CHATHAM	0		2		1			0			3
CHEROKEE	1	20.0%	1	20.0%	2	40.0%	76	1	20.0%	11	5
CHOWAN	1	1.9%	23	42.6%	11	20.4%	63	19	35.2%	63	54
CLAY	0	0.0%	17	58.6%	8	27.6%	72	4	13.8%	5	29
CLEVELAND	3	1.9%	98	62.8%	25	16.0%	32	30	19.2%	9	156
COLUMBUS	2	18.2%	8	72.7%	0			1	9.1%	3	11
CRAVEN	10	2.2%	214	47.1%	74	16.3%	35	156	34.4%	60	454

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	153	2.0%	3,861	51.1%	1,308	17.3%	ORDER	2,232	29.5%	ORDER	7,554
CUMBERLAND	1	2.4%	21	51.2%	5	12.2%	14	14	34.1%	59	41
CURRITUCK	0	0.0%	14	50.0%	5	17.9%	41	9	32.1%	49	28
DARE	2	12.5%	10	62.5%	1	6.3%	3	3	18.8%	8	16
DAVIDSON	0	0.0%	13	52.0%	5	20.0%	56	7	28.0%	35	25
DAVIE	2	4.3%	22	47.8%	7	15.2%	26	15	32.6%	51	46
DUPLIN	2	1.7%	71	58.7%	16	13.2%	17	32	26.4%	32	121
DURHAM &											
EDGECOMBE	0	0.0%	1	50.0%	0			1	50.0%	79	2
FORSYTH &											
FRANKLIN	7	2.7%	134	51.7%	55	21.2%	66	63	24.3%	25	259
GASTON	0	0.0%	74	59.2%	21	16.8%	38	30	24.0%	22	125
GATES	1	3.6%	19	67.9%	2	7.1%	6	6	21.4%	16	28
GRAHAM	1	1.8%	28	50.0%	10	17.9%	41	17	30.4%	42	56
GRANVILLE	0	0.0%	30	49.2%	8	13.1%	16	23	37.7%	65	61
GREENE	1	1.9%	32	59.3%	7	13.0%	15	14	25.9%	30	54
GUILFORD &	1		0		0			0			1
HALIFAX	2	0.9%	115	50.2%	36	15.7%	28	76	33.2%	53	229
HARNETT	4	1.9%	111	52.9%	31	14.8%	24	64	30.5%	43	210
HAYWOOD	2	10.0%	10	50.0%	4	20.0%	56	4	20.0%	11	20
HENDERSON	1	1.2%	41	49.4%	16	19.3%	52	25	30.1%	39	83
HERTFORD &	0	0.0%	1	100.0%	0						1
HOKE	0	0.0%	28	36.8%	17	22.4%	67	31	40.8%	71	76
HYDE	0		6		3			1			10
IREDELL	0	0.0%	15	60.0%	4	16.0%	30	6	24.0%	22	25
JACKSON	1	3.2%	17	54.8%	6	19.4%	53	7	22.6%	18	31

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	153	2.0%	3,861	51.1%	1,308	17.3%	ORDER	2,232	29.5%	ORDER	7,554
JOHNSTON	2	1.1%	93	50.8%	34	18.6%	50	54	29.5%	38	183
JONES	0	0.0%	6	50.0%	5	41.7%	77	1	8.3%	2	12
LEE	1	16.7%	3	50.0%	0			2	33.3%	54	6
LENOIR	0	0.0%	7	87.5%	0			1	12.5%	4	8
LINCOLN	0	0.0%	16	48.5%	7	21.2%	65	10	30.3%	41	33
MACON	1	6.7%	4	26.7%	3	20.0%	56	7	46.7%	74	15
MADISON &											
MARTIN	2	5.1%	19	48.7%	8	20.5%	64	10	25.6%	28	39
MCDOWELL	0	0.0%	1	33.3%	0			2	66.7%	83	3
MECKLENBURG &	9	12.5%	47	65.3%	14	19.4%	54	2	2.8%	1	72
MITCHELL	0	0.0%	10	52.6%	3	15.8%	29	6	31.6%	46	19
MONTGOMERY	1	5.9%	7	41.2%	1	5.9%	2	8	47.1%	78	17
MOORE	0	0.0%	6	54.5%	2	18.2%	46	3	27.3%	34	11
NASH	0	0.0%	14	73.7%	2	10.5%	13	3	15.8%	6	19
NEW HANOVER	0	0.0%	13	44.8%	5	17.2%	40	11	37.9%	67	29
NORTHAMPTON	1	1.8%	26	47.3%	17	30.9%	73	11	20.0%	11	55
ONslow	0	0.0%	7	25.0%	2	7.1%	6	19	67.9%	84	28
ORANGE	0	0.0%	8	61.5%	1	7.7%	8	4	30.8%	44	13
PAMLICO	1	1.4%	33	47.1%	18	25.7%	69	18	25.7%	29	70
PASQUOTANK	3	1.4%	103	48.1%	36	16.8%	39	72	33.6%	58	214
PENDER	5	3.9%	55	43.3%	19	15.0%	25	48	37.8%	66	127
PERQUIMANS	1	5.0%	7	35.0%	4	20.0%	56	8	40.0%	69	20
PERSON	1	6.7%	4	26.7%	3	20.0%	56	7	46.7%	74	15
PITT	0	0.0%	2	33.3%	2	33.3%	74	2	33.3%	54	6
POLK											

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 12 through 18 years of age, By County, NC-NPASS*, 2006

HEALTH DEPARTMENT (*counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	153	2.0%	3,861	51.1%	1,308	17.3%	ORDER	2,232	29.5%	ORDER	7,554
RANDOLPH	0	0.0%	6	40.0%	3	20.0%	56	6	40.0%	69	15
RICHMOND	0		0		0		1	0			0
ROBESON	2	1.0%	125	59.8%	38	18.2%	46	44	21.1%	14	209
ROCKINGHAM	7	3.8%	82	45.1%	33	18.1%	45	60	33.0%	52	182
ROWAN	1	3.3%	19	63.3%	2	6.7%	5	8	26.7%	33	30
RUTHERFORD	0	0.0%	6	40.0%	2	13.3%	18	7	46.7%	74	15
SAMPSON	0	#DIV/0!	0	#DIV/0!	0		1	0			0
SCOTLAND	0		0		0		1	0			0
STANLY	0	0.0%	3	27.3%	1	9.1%	9	7	63.6%	82	11
STOKES	3	1.7%	104	57.8%	26	14.4%	23	47	26.1%	31	180
SURRY	2	0.7%	147	48.7%	56	18.5%	49	97	32.1%	48	302
SWAIN	0		0		0		1	0			0
TRANSYLVANIA	0		0		0		1	0			0
TYRRELL	0	0.0%	11	39.3%	5	17.9%	41	12	42.9%	73	28
UNION	0	0.0%	22	55.0%	4	10.0%	11	14	35.0%	62	40
VANCE	0	0.0%	19	36.5%	7	13.5%	19	26	50.0%	79	52
WAKE	6	2.5%	142	58.7%	37	15.3%	27	57	23.6%	20	242
WARREN	3	3.3%	52	56.5%	15	16.3%	36	22	23.9%	21	92
WASHINGTON	2	18.2%	4	36.4%	1	9.1%	9	4	36.4%	64	11
WATAUGA	5	3.0%	101	61.2%	23	13.9%	22	36	21.8%	17	165
WAYNE	1	5.9%	11	64.7%	0		1	5	29.4%	37	17
WILKES	4	4.0%	51	51.5%	16	16.2%	34	28	28.3%	36	99
WILSON	0	0.0%	3	33.3%	3	33.3%	74	3	33.3%	54	9
YADKIN	3	4.0%	47	62.7%	12	16.0%	30	13	17.3%	7	75
YANCEY	3	4.0%	40	53.3%	14	18.7%	51	18	24.0%	22	75

* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 4 of 4