

North Carolina Pediatric Nutrition and Epidemiology Surveillance System* (NC-PedNESS) 2015

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 4 years of age, By County, NC-PedNESS*, 2015

| HEALTH DEPARTMENT | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | | OBESE | | | TOTAL |
|-------------------|-----------------|-------------|---------------------------|--------------|----------------------------|--------------|------------------|-------------------|--------------|------------------|----------------|
| | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | | >=95th Percentile | | | |
| | # | % | # | % | # | % | RANK ** ORDER | # | % | RANK ** ORDER | # |
| STATEWIDE | 6,019 | 4.5% | 88,058 | 66.5% | 19,831 | 15.0% | | 18,570 | 14.0% | | 132,478 |
| ALAMANCE | 59 | 2.6% | 1,476 | 65.5% | 372 | 16.5% | 79 | 347 | 15.4% | 70 | 2,254 |
| ALEXANDER | 13 | 3.1% | 285 | 67.1% | 64 | 15.1% | 52 | 63 | 14.8% | 61 | 425 |
| ALLEGHANY | 13 | 5.8% | 127 | 57.0% | 36 | 16.1% | 76 | 47 | 21.1% | 100 | 223 |
| ANSON | 23 | 5.1% | 273 | 61.1% | 72 | 16.1% | 75 | 79 | 17.7% | 87 | 447 |
| ASHE | 11 | 2.7% | 252 | 62.5% | 75 | 18.6% | 97 | 65 | 16.1% | 81 | 403 |
| AVERY | 16 | 5.9% | 197 | 72.4% | 36 | 13.2% | 18 | 23 | 8.5% | 2 | 272 |
| BEAUFORT | 27 | 3.1% | 599 | 68.1% | 128 | 14.5% | 39 | 126 | 14.3% | 46 | 880 |
| BERTIE | 18 | 4.9% | 243 | 66.6% | 61 | 16.7% | 82 | 43 | 11.8% | 10 | 365 |
| BLADEN | 25 | 4.1% | 392 | 63.9% | 95 | 15.5% | 58 | 101 | 16.5% | 83 | 613 |
| BRUNSWICK | 64 | 4.9% | 839 | 64.5% | 207 | 15.9% | 68 | 191 | 14.7% | 57 | 1,301 |
| BUNCOMBE | 61 | 2.6% | 1,581 | 68.1% | 378 | 16.3% | 78 | 303 | 13.0% | 26 | 2,323 |
| BURKE | 24 | 2.0% | 804 | 67.2% | 188 | 15.7% | 64 | 180 | 15.1% | 65 | 1,196 |
| CABARRUS | 131 | 5.4% | 1,588 | 65.9% | 361 | 15.0% | 50 | 328 | 13.6% | 34 | 2,408 |
| CALDWELL | 31 | 3.5% | 556 | 62.8% | 150 | 16.9% | 84 | 149 | 16.8% | 84 | 886 |
| CAMDEN | 4 | 4.0% | 59 | 58.4% | 24 | 23.8% | 100 | 14 | 13.9% | 37 | 101 |
| CARTERET | 11 | 1.9% | 394 | 67.0% | 109 | 18.5% | 96 | 74 | 12.6% | 18 | 588 |
| CASWELL | 15 | 4.4% | 232 | 68.4% | 39 | 11.5% | 5 | 53 | 15.6% | 74 | 339 |
| CATAWBA | 34 | 1.7% | 1,247 | 62.1% | 363 | 18.1% | 94 | 365 | 18.2% | 92 | 2,009 |
| CHATHAM | 29 | 3.4% | 540 | 63.6% | 135 | 15.9% | 67 | 145 | 17.1% | 85 | 849 |
| CHEROKEE | 17 | 4.0% | 285 | 67.5% | 59 | 14.0% | 28 | 61 | 14.5% | 50 | 422 |
| CHOWAN | 15 | 7.3% | 125 | 60.7% | 33 | 16.0% | 71 | 33 | 16.0% | 80 | 206 |
| CLAY | 6 | 3.6% | 106 | 62.7% | 27 | 16.0% | 70 | 30 | 17.8% | 88 | 169 |
| CLEVELAND | 77 | 5.1% | 1,029 | 67.8% | 209 | 13.8% | 25 | 203 | 13.4% | 29 | 1,518 |
| COLUMBUS | 48 | 4.6% | 689 | 65.5% | 157 | 14.9% | 48 | 158 | 15.0% | 63 | 1,052 |
| CRAVEN | 180 | 8.9% | 1,251 | 61.7% | 315 | 15.5% | 60 | 281 | 13.9% | 38 | 2,027 |

* North Carolina-Pediatric Nutrition and Epidemiology Surveillance System (NC-PedNESS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 1 of 4

North Carolina Pediatric Nutrition and Epidemiology Surveillance System* (NC-PedNESS) 2015

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 4 years of age, By County, NC-PedNESS*, 2015

| HEALTH DEPARTMENT | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | | OBESE | | | TOTAL |
|-------------------|-----------------|-------------|---------------------------|--------------|----------------------------|--------------|------------------|-------------------|--------------|------------------|----------------|
| | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | | >=95th Percentile | | | |
| | # | % | # | % | # | % | RANK ** ORDER | # | % | RANK ** ORDER | # |
| STATEWIDE | 6,019 | 4.5% | 88,058 | 66.5% | 19,831 | 15.0% | | 18,570 | 14.0% | | 132,478 |
| CUMBERLAND | 441 | 6.5% | 4,806 | 71.2% | 833 | 12.3% | 10 | 666 | 9.9% | 4 | 6,746 |
| CURRITUCK | 14 | 6.3% | 154 | 68.8% | 32 | 14.3% | 34 | 24 | 10.7% | 7 | 224 |
| DARE | 8 | 2.1% | 256 | 66.1% | 62 | 16.0% | 72 | 61 | 15.8% | 78 | 387 |
| DAVIDSON | 44 | 2.4% | 1,229 | 65.9% | 318 | 17.1% | 85 | 273 | 14.6% | 56 | 1,864 |
| DAVIE | 18 | 3.4% | 347 | 66.2% | 78 | 14.9% | 47 | 81 | 15.5% | 72 | 524 |
| DUPLIN | 62 | 4.5% | 857 | 61.8% | 202 | 14.6% | 40 | 266 | 19.2% | 97 | 1,387 |
| DURHAM | 294 | 7.1% | 2,638 | 63.7% | 595 | 14.4% | 37 | 612 | 14.8% | 60 | 4,139 |
| EDGECOMBE | 70 | 6.0% | 761 | 65.3% | 160 | 13.7% | 24 | 174 | 14.9% | 62 | 1,165 |
| FORSYTH | 174 | 3.0% | 4,020 | 68.4% | 877 | 14.9% | 49 | 803 | 13.7% | 35 | 5,874 |
| FRANKLIN | 68 | 8.9% | 401 | 52.3% | 141 | 18.4% | 95 | 157 | 20.5% | 98 | 767 |
| GASTON | 69 | 3.2% | 1,488 | 70.0% | 299 | 14.1% | 31 | 269 | 12.7% | 19 | 2,125 |
| GATES | 4 | 2.9% | 96 | 68.6% | 15 | 10.7% | 3 | 25 | 17.9% | 90 | 140 |
| GRAHAM | 19 | 6.6% | 167 | 57.8% | 50 | 17.3% | 89 | 53 | 18.3% | 94 | 289 |
| GRANVILLE | 43 | 7.4% | 416 | 71.8% | 56 | 9.7% | 2 | 64 | 11.1% | 8 | 579 |
| GREENE | 27 | 6.2% | 277 | 63.1% | 64 | 14.6% | 41 | 71 | 16.2% | 82 | 439 |
| GUILFORD | 233 | 3.6% | 4,316 | 67.0% | 971 | 15.1% | 53 | 921 | 14.3% | 45 | 6,441 |
| HALIFAX | 46 | 5.2% | 566 | 64.2% | 139 | 15.8% | 65 | 130 | 14.8% | 58 | 881 |
| HARNETT | 136 | 6.3% | 1,463 | 67.9% | 292 | 13.6% | 22 | 263 | 12.2% | 15 | 2,154 |
| HAYWOOD | 18 | 2.6% | 464 | 67.2% | 100 | 14.5% | 38 | 108 | 15.7% | 75 | 690 |
| HENDERSON | 63 | 4.8% | 907 | 68.9% | 175 | 13.3% | 19 | 172 | 13.1% | 27 | 1,317 |
| HERTFORD | 38 | 9.0% | 280 | 66.7% | 51 | 12.1% | 7 | 51 | 12.1% | 14 | 420 |
| HOKE | 22 | 2.3% | 640 | 68.1% | 133 | 14.1% | 33 | 145 | 15.4% | 71 | 940 |
| HYDE | 1 | 1.0% | 64 | 66.0% | 12 | 12.4% | 11 | 20 | 20.6% | 99 | 97 |
| IREDELL | 59 | 3.1% | 1,282 | 66.8% | 329 | 17.1% | 87 | 250 | 13.0% | 25 | 1,920 |
| JACKSON | 14 | 3.2% | 305 | 69.6% | 60 | 13.7% | 23 | 59 | 13.5% | 31 | 438 |

* North Carolina-Pediatric Nutrition and Epidemiology Surveillance System (NC-PedNESS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 2 of 4

North Carolina Pediatric Nutrition and Epidemiology Surveillance System* (NC-PedNESS) 2015

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 4 years of age, By County, NC-PedNESS*, 2015

| HEALTH DEPARTMENT | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | | OBESE | | | TOTAL |
|-------------------|-----------------|-------------|---------------------------|--------------|----------------------------|--------------|------------------|-------------------|--------------|------------------|----------------|
| | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | | >=95th Percentile | | | |
| | # | % | # | % | # | % | RANK ** ORDER | # | % | RANK ** ORDER | # |
| STATEWIDE | 6,019 | 4.5% | 88,058 | 66.5% | 19,831 | 15.0% | | 18,570 | 14.0% | | 132,478 |
| JOHNSTON | 118 | 4.8% | 1,584 | 65.0% | 374 | 15.4% | 55 | 360 | 14.8% | 59 | 2,436 |
| JONES | 10 | 6.0% | 112 | 67.5% | 27 | 16.3% | 77 | 17 | 10.2% | 5 | 166 |
| LEE | 41 | 3.1% | 909 | 68.2% | 176 | 13.2% | 17 | 206 | 15.5% | 73 | 1,332 |
| LENOIR | 42 | 4.1% | 710 | 69.0% | 137 | 13.3% | 21 | 140 | 13.6% | 33 | 1,029 |
| LINCOLN | 29 | 3.4% | 556 | 64.3% | 150 | 17.3% | 90 | 130 | 15.0% | 64 | 865 |
| MACON | 123 | 18.6% | 458 | 69.2% | 42 | 6.3% | 1 | 39 | 5.9% | 1 | 662 |
| MADISON | 16 | 4.6% | 225 | 64.5% | 46 | 13.2% | 14 | 62 | 17.8% | 89 | 349 |
| MARTIN | 23 | 3.8% | 402 | 65.9% | 89 | 14.6% | 42 | 96 | 15.7% | 77 | 610 |
| MCDOWELL | 16 | 4.3% | 272 | 72.3% | 42 | 11.2% | 4 | 46 | 12.2% | 16 | 376 |
| MECKLENBURG | 441 | 4.0% | 7,496 | 68.8% | 1,558 | 14.3% | 36 | 1,395 | 12.8% | 21 | 10,890 |
| MITCHELL | 10 | 3.8% | 180 | 68.4% | 42 | 16.0% | 69 | 31 | 11.8% | 11 | 263 |
| MONTGOMERY | 15 | 2.5% | 394 | 65.1% | 101 | 16.7% | 80 | 95 | 15.7% | 76 | 605 |
| MOORE | 33 | 3.6% | 601 | 66.4% | 142 | 15.7% | 63 | 129 | 14.3% | 44 | 905 |
| NASH | 61 | 4.2% | 907 | 63.1% | 211 | 14.7% | 44 | 258 | 18.0% | 91 | 1,437 |
| NEW HANOVER | 37 | 2.2% | 1,184 | 69.5% | 264 | 15.5% | 57 | 219 | 12.9% | 22 | 1,704 |
| NORTHAMPTON | 17 | 4.1% | 282 | 68.4% | 62 | 15.0% | 51 | 51 | 12.4% | 17 | 412 |
| ONslow | 96 | 2.7% | 2,578 | 73.1% | 504 | 14.3% | 35 | 348 | 9.9% | 3 | 3,526 |
| ORANGE | 68 | 5.5% | 820 | 66.7% | 173 | 14.1% | 29 | 169 | 13.7% | 36 | 1,230 |
| PAMLICO | 12 | 7.4% | 109 | 66.9% | 20 | 12.3% | 8 | 22 | 13.5% | 32 | 163 |
| PASQUOTANK | 78 | 10.2% | 452 | 59.3% | 135 | 17.7% | 93 | 97 | 12.7% | 20 | 762 |
| PENDER | 65 | 6.9% | 627 | 66.9% | 122 | 13.0% | 13 | 123 | 13.1% | 28 | 937 |
| PERQUIMANS | 6 | 3.5% | 119 | 69.6% | 21 | 12.3% | 9 | 25 | 14.6% | 55 | 171 |
| PERSON | 22 | 4.1% | 330 | 61.3% | 104 | 19.3% | 98 | 82 | 15.2% | 67 | 538 |
| PITT | 53 | 2.3% | 1,520 | 65.4% | 397 | 17.1% | 86 | 353 | 15.2% | 66 | 2,323 |
| POLK | 8 | 6.0% | 90 | 67.7% | 21 | 15.8% | 66 | 14 | 10.5% | 6 | 133 |

* North Carolina-Pediatric Nutrition and Epidemiology Surveillance System (NC-PedNESS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. Page 3 of 4

North Carolina Pediatric Nutrition and Epidemiology Surveillance System* (NC-PedNESS) 2015

Prevalence of Obesity, Overweight, Healthy Weight and Underweight in Children 2 through 4 years of age, By County, NC-PedNESS*, 2015

| HEALTH DEPARTMENT | UNDERWEIGHT | | HEALTHY WEIGHT | | OVERWEIGHT | | | OBESE | | | TOTAL |
|-------------------|-----------------|-------------|---------------------------|--------------|----------------------------|--------------|------------------|-------------------|---------------|------------------|--------------|
| | <5th Percentile | | >=5th to <85th Percentile | | >=85th to <95th Percentile | | | >=95th Percentile | | | |
| | # | % | # | % | # | % | RANK ** ORDER | # | % | RANK ** ORDER | # |
| STATEWIDE | 6,019 | 4.5% | 88,058 | 66.5% | 19,831 | 15.0% | | | 18,570 | | 14.0% |
| RANDOLPH | 55 | 2.7% | 1,408 | 68.1% | 306 | 14.8% | 46 | 300 | 14.5% | 51 | 2,069 |
| RICHMOND | 44 | 5.2% | 597 | 70.3% | 113 | 13.3% | 20 | 95 | 11.2% | 9 | 849 |
| ROBESON | 54 | 2.2% | 1,514 | 62.3% | 419 | 17.2% | 88 | 443 | 18.2% | 93 | 2,430 |
| ROCKINGHAM | 51 | 4.4% | 751 | 64.2% | 205 | 17.5% | 91 | 163 | 13.9% | 41 | 1,170 |
| ROWAN | 51 | 3.5% | 981 | 67.4% | 214 | 14.7% | 45 | 209 | 14.4% | 47 | 1,455 |
| RUTHERFORD | 40 | 4.3% | 624 | 67.2% | 145 | 15.6% | 61 | 120 | 12.9% | 23 | 929 |
| SAMPSON | 56 | 4.3% | 789 | 61.1% | 207 | 16.0% | 73 | 239 | 18.5% | 95 | 1,291 |
| SCOTLAND | 30 | 3.6% | 578 | 70.0% | 107 | 13.0% | 12 | 111 | 13.4% | 30 | 826 |
| STANLY | 30 | 4.0% | 531 | 70.1% | 88 | 11.6% | 6 | 109 | 14.4% | 48 | 758 |
| STOKES | 12 | 2.6% | 340 | 72.3% | 62 | 13.2% | 16 | 56 | 11.9% | 13 | 470 |
| SURRY | 83 | 7.3% | 703 | 61.8% | 190 | 16.7% | 81 | 162 | 14.2% | 43 | 1,138 |
| SWAIN | 9 | 4.7% | 126 | 65.3% | 31 | 16.1% | 74 | 27 | 14.0% | 42 | 193 |
| TRANSYLVANIA | 11 | 3.4% | 220 | 67.3% | 46 | 14.1% | 30 | 50 | 15.3% | 68 | 327 |
| TYRRELL | 7 | 4.9% | 97 | 67.4% | 20 | 13.9% | 27 | 20 | 13.9% | 39 | 144 |
| UNION | 220 | 9.3% | 1,414 | 59.8% | 370 | 15.6% | 62 | 362 | 15.3% | 69 | 2,366 |
| VANCE | 64 | 8.0% | 528 | 66.3% | 110 | 13.8% | 26 | 94 | 11.8% | 12 | 796 |
| WAKE | 573 | 5.9% | 6,344 | 64.9% | 1,503 | 15.4% | 56 | 1,362 | 13.9% | 40 | 9,782 |
| WARREN | 25 | 6.9% | 238 | 65.4% | 48 | 13.2% | 15 | 53 | 14.6% | 53 | 364 |
| WASHINGTON | 15 | 4.2% | 248 | 68.7% | 51 | 14.1% | 32 | 47 | 13.0% | 24 | 361 |
| WATAUGA | 4 | 1.1% | 233 | 66.2% | 59 | 16.8% | 83 | 56 | 15.9% | 79 | 352 |
| WAYNE | 85 | 4.0% | 1,412 | 66.9% | 309 | 14.6% | 43 | 305 | 14.4% | 49 | 2,111 |
| WILKES | 49 | 5.3% | 583 | 62.6% | 164 | 17.6% | 92 | 136 | 14.6% | 54 | 932 |
| WILSON | 56 | 3.8% | 967 | 66.1% | 227 | 15.5% | 59 | 213 | 14.6% | 52 | 1,463 |
| YADKIN | 15 | 2.4% | 409 | 65.2% | 95 | 15.2% | 54 | 108 | 17.2% | 86 | 627 |
| YANCEY | 3 | 1.3% | 137 | 60.1% | 45 | 19.7% | 99 | 43 | 18.9% | 96 | 228 |

** Counties are ranked from 1 to 100, with 1 indicating the lowest (best) rate of overweight or obesity and 100 indicating the worst (highest) rate.