

\* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

## Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 12 to 18 Years of Age, By County, NC-NPASS\* 2007

HEALTH DEPARTMENT (**counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL #
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
<b>STATEWIDE</b>	<b>155</b>	<b>2.1%</b>	<b>3,724</b>	<b>50.3%</b>	<b>1,306</b>	<b>17.7%</b>	<b>2,212</b>	<b>29.9%</b>	<b>7,397</b>
ALAMANCE	1		0		4		4		9
ALEXANDER									
ALLEGHANY	0	0.0%	6	35.3%	3	17.6%	8	47.1%	17
ANSON	2	8.7%	10	43.5%	5	21.7%	6	26.1%	23
ASHE	3	3.0%	44	44.0%	19	19.0%	34	34.0%	100
AVERY	0	0.0%	12	50.0%	5	20.8%	7	29.2%	24
BEAUFORT**									
BERTIE	2	5.0%	20	50.0%	8	20.0%	10	25.0%	40
BLADEN	0		1		1		6		8
BRUNSWICK	2	2.2%	57	62.0%	14	15.2%	19	20.7%	92
BUNCOMBE	14	1.1%	640	50.8%	251	19.9%	356	28.2%	1,261
BURKE	0	0.0%	11	47.8%	1		11	47.8%	23
CABARRUS	2	2.1%	48	49.5%	15	15.5%	32	33.0%	97
CALDWELL	4	1.6%	119	46.1%	51	19.8%	84	32.6%	258
CAMDEN	0		1		0		1		2
CARTERET	0		2		1		0		3
CASWELL	3	7.3%	21	51.2%	5	12.2%	12	29.3%	41
CATAWBA	4	0.9%	232	49.9%	76	16.3%	153	32.9%	465
CHATHAM	0	0.0%	4	28.6%	3	21.4%	7	50.0%	14
CHEROKEE	0		5		0		2		7
CHOWAN	0	0.0%	29	61.7%	5	10.6%	13	27.7%	47
CLAY	0	0.0%	20	60.6%	5	15.2%	8	24.2%	33
CLEVELAND	4	2.7%	85	58.2%	20	13.7%	37	25.3%	146
COLUMBUS	0	0.0%	7	63.6%	1		3	27.3%	11
CRAVEN	8	1.8%	225	50.0%	76	16.9%	141	31.3%	450

\*\* Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

\* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

## Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 12 to 18 Years of Age, By County, NC-NPASS\* 2007

HEALTH DEPARTMENT (**counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL #
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
<b>STATEWIDE</b>	<b>155</b>	<b>2.1%</b>	<b>3,724</b>	<b>50.3%</b>	<b>1,306</b>	<b>17.7%</b>	<b>2,212</b>	<b>29.9%</b>	<b>7,397</b>
CUMBERLAND	0	0.0%	6	40.0%	2	13.3%	7	46.7%	15
CURRITUCK	1	10.0%	3	30.0%	0	0.0%	6	60.0%	10
DARE	0	0.0%	7	53.8%	2	15.4%	4	30.8%	13
DAVIDSON	2	6.7%	16	53.3%	5	16.7%	7	23.3%	30
DAVIE	1	1.4%	34	48.6%	12	17.1%	23	32.9%	70
DUPLIN	2	1.4%	72	49.7%	30	20.7%	41	28.3%	145
DURHAM **									
EDGECOMBE**									
FORSYTH **									
FRANKLIN	5	2.6%	94	48.7%	25	13.0%	69	35.8%	193
GASTON	3	2.3%	75	56.8%	19	14.4%	35	26.5%	132
GATES	1	5.3%	7	36.8%	5	26.3%	6	31.6%	19
GRAHAM	2	1.1%	98	51.9%	37	19.6%	52	27.5%	189
GRANVILLE	2	2.7%	35	47.9%	10	13.7%	26	35.6%	73
GREENE	1	2.0%	28	56.0%	7	14.0%	14	28.0%	50
GUILFORD **									
HALIFAX	2	1.0%	91	47.2%	26	13.5%	74	38.3%	193
HARNETT	5	3.6%	69	50.0%	26	18.8%	38	27.5%	138
HAYWOOD	1	3.0%	19	57.6%	4	12.1%	9	27.3%	33
HENDERSON	1	1.1%	51	56.7%	12	13.3%	26	28.9%	90
HERTFORD **									
HOKE	2	2.0%	48	49.0%	17	17.3%	31	31.6%	98
HYDE	0	0.0%	8	23.5%	3	8.8%	23	67.6%	34
IREDELL	0	0.0%	10	41.7%	6	25.0%	8	33.3%	24
JACKSON	2	5.3%	20	52.6%	9	23.7%	7	18.4%	38

\*\* Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

\* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

## Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 12 to 18 Years of Age, By County, NC-NPASS\* 2007

HEALTH DEPARTMENT (**counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
<b>STATEWIDE</b>	<b>155</b>	<b>2.1%</b>	<b>3,724</b>	<b>50.3%</b>	<b>1,306</b>	<b>17.7%</b>	<b>2,212</b>	<b>29.9%</b>	<b>7,397</b>
JOHNSTON	6	2.9%	91	44.4%	37	18.0%	71	34.6%	205
JONES	0	0.0%	8	80.0%	1	10.0%	1	10.0%	10
LEE	0	0.0%	10	66.7%	4		1	6.7%	15
LENOIR	0		4		1		2		7
LINCOLN	0	0.0%	11	39.3%	5	17.9%	12	42.9%	28
MACON	0	0.0%	19	70.4%	3	11.1%	5	18.5%	27
MADISON **									
MARTIN	1	3.6%	14	50.0%	3	10.7%	10	35.7%	28
MCDOWELL	0		2		0		1		3
MECKLENBURG **	10	11.9%	64	76.2%	7	8.3%	3	3.6%	84
MITCHELL	0	0.0%	6	33.3%	6	33.3%	6	33.3%	18
MONTGOMERY	0	0.0%	13	44.8%	8	27.6%	8	27.6%	29
MOORE	1	10.0%	4	40.0%	1	10.0%	4	40.0%	10
NASH	1	5.9%	6	35.3%	5	29.4%	5	29.4%	17
NEW HANOVER	0	0.0%	7	70.0%	2	20.0%	1	10.0%	10
NORTHAMPTON	0	0.0%	18	40.0%	5	11.1%	22	48.9%	45
ONslow	2	6.1%	4	12.1%	3	9.1%	24	72.7%	33
ORANGE	0	0.0%	8	57.1%	3	21.4%	3	21.4%	14
PAMLICO	1		1		0		4		6
PASQUOTANK	7	3.6%	98	49.7%	33	16.8%	59	29.9%	197
PENDER	0	0.0%	65	52.0%	27	21.6%	33	26.4%	125
PERQUIMANS	1	3.7%	17	63.0%	0	0.0%	9	33.3%	27
PERSON	0	0.0%	17	53.1%	4	12.5%	11	34.4%	32
PITT									
POLK									

\*\* Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.

\* NC-NPASS data is limited to children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers. The number of measurements obtained per county varies, as shown in far right column.

## Percentage of Overweight, At-Risk for Overweight, and Underweight in Children 12 to 18 Years of Age, By County, NC-NPASS\* 2007

HEALTH DEPARTMENT (**counties do not submit data routinely)	UNDER WEIGHT		NORMAL		AT-RISK		OVER WEIGHT		TOTAL #
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile		>=95th Percentile		
	#	%	#	%	#	%	#	%	
<b>STATEWIDE</b>	<b>155</b>	<b>2.1%</b>	<b>3,724</b>	<b>50.3%</b>	<b>1,306</b>	<b>17.7%</b>	<b>2,212</b>	<b>29.9%</b>	<b>7,397</b>
RANDOLPH	0	0.0%	13	72.2%	3	16.7%	2	11.1%	18
RICHMOND									
ROBESON	5	2.4%	109	53.2%	39	19.0%	52	25.4%	205
ROCKINGHAM	2	1.3%	66	42.3%	32	20.5%	56	35.9%	156
ROWAN	0	0.0%	19	65.5%	6	20.7%	4	13.8%	29
RUTHERFORD	0		2		0		1		3
SAMPSON	0		3		2		1		6
SCOTLAND									
STANLY	0	0.0%	4	33.3%	3	25.0%	5	41.7%	12
STOKES	4	2.9%	80	57.6%	25	18.0%	30	21.6%	139
SURRY	5	1.7%	148	51.6%	48	16.7%	86	30.0%	287
SWAIN									
TRANSYLVANIA									
TYRRELL	1	5.6%	5	27.8%	4	22.2%	8	44.4%	18
UNION	1	2.6%	16	42.1%	8	21.1%	13	34.2%	38
VANCE	2	5.4%	13	35.1%	5	13.5%	17	45.9%	37
WAKE	7	2.8%	126	50.6%	51	20.5%	65	26.1%	249
WARREN	3	7.9%	18	47.4%	7	18.4%	10	26.3%	38
WASHINGTON	0	0.0%	6	60.0%	3	30.0%	1	10.0%	10
WATAUGA	5	3.0%	93	56.0%	31	18.7%	37	22.3%	166
WAYNE	0	0.0%	5	55.6%	3		1		9
WILKES	4	5.5%	40	54.8%	13	17.8%	16	21.9%	73
WILSON	1	7.7%	2	15.4%	4	30.8%	6	46.2%	13
YADKIN	0	0.0%	28	43.1%	17	26.2%	20	30.8%	65
YANCEY	3	3.8%	44	55.0%	12	15.0%	21	26.3%	80

\*\* Health Department does not routinely collect data for this age group. Percentages were not calculated for counties with less than 10 in the Total Count.