

## Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 20 years of age, By County, NC-NPASS\*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
<b>STATEWIDE</b>	<b>4,363</b>	<b>3.8%</b>	<b>72,757</b>	<b>62.9%</b>	<b>18,458</b>	<b>15.9%</b>	<b>ORDER</b>	<b>20,150</b>	<b>17.4%</b>	<b>ORDER</b>	<b>115,728</b>
ALAMANCE	23	1.7%	841	62.2%	274	20.3%	99	214	15.8%	38	1,352
ALEXANDER	13	2.9%	289	65.2%	75	16.9%	68	66	14.9%	25	443
ALLEGHANY	3	1.6%	106	57.3%	35	18.9%	89	41	22.2%	91	185
ANSON	47	9.6%	316	64.4%	52	10.6%	5	76	15.5%	33	491
ASHE	22	4.1%	318	59.2%	81	15.1%	32	116	21.6%	85	537
AVERY	6	2.6%	133	58.3%	41	18.0%	82	48	21.1%	81	228
BEAUFORT	16	2.4%	425	63.4%	100	14.9%	29	129	19.3%	70	670
BERTIE	25	4.7%	321	60.6%	81	15.3%	34	103	19.4%	71	530
BLADEN	34	5.0%	428	62.5%	99	14.5%	26	124	18.1%	62	685
BRUNSWICK	39	3.1%	808	63.8%	219	17.3%	74	200	15.8%	36	1,266
BUNCOMBE	90	2.1%	2,453	58.4%	740	17.6%	80	920	21.9%	88	4,203
BURKE	19	2.2%	567	66.1%	151	17.6%	79	121	14.1%	19	858
CABARRUS	74	2.7%	1,757	63.3%	464	16.7%	62	482	17.4%	50	2,777
CALDWELL	59	3.3%	1,049	57.9%	312	17.2%	73	392	21.6%	86	1,812
CAMDEN	15	11.1%	99	73.3%	7	5.2%	1	14	10.4%	5	135
CARTERET	10	2.6%	243	63.8%	74	19.4%	96	54	14.2%	22	381
CASWELL	12	2.9%	255	62.7%	68	16.7%	61	72	17.7%	55	407
CATAWBA	31	2.6%	661	55.7%	212	17.9%	81	282	23.8%	96	1,186
CHATHAM	26	3.3%	471	59.2%	154	19.4%	95	144	18.1%	63	795
CHEROKEE	8	5.6%	102	70.8%	24	16.7%	60	10	6.9%	1	144
CHOWAN	14	3.4%	238	58.0%	71	17.3%	75	87	21.2%	83	410
CLAY	8	3.6%	143	64.1%	35	15.7%	42	37	16.6%	44	223
CLEVELAND	99	5.9%	1,135	67.8%	203	12.1%	12	237	14.2%	21	1,674
COLUMBUS	43	4.5%	616	64.4%	147	15.4%	37	150	15.7%	35	956
CRAVEN	68	3.0%	1,289	57.2%	381	16.9%	66	517	22.9%	93	2,255

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

## Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 20 years of age, By County, NC-NPASS\*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	4,363	3.8%	72,757	62.9%	18,458	15.9%	ORDER	20,150	17.4%	ORDER	115,728
CUMBERLAND	359	7.2%	3,692	74.3%	530	10.7%	6	389	7.8%	2	4,970
CURRITUCK	11	3.4%	199	62.4%	54	16.9%	67	55	17.2%	49	319
DARE	9	2.8%	185	58.5%	53	16.8%	63	69	21.8%	87	316
DAVIDSON	55	4.7%	813	69.7%	153	13.1%	15	145	12.4%	10	1,166
DAVIE	16	2.6%	392	63.6%	97	15.7%	43	111	18.0%	60	616
DUPLIN	110	8.5%	740	57.5%	186	14.5%	25	251	19.5%	73	1,287
DURHAM	59	2.4%	1,253	51.7%	463	19.1%	93	648	26.7%	99	2,423
EDGECOMBE	35	3.7%	619	65.0%	138	14.5%	27	160	16.8%	46	952
FORSYTH	95	2.6%	2,392	65.8%	598	16.5%	56	550	15.1%	27	3,635
FRANKLIN	32	2.2%	842	58.7%	272	19.0%	90	289	20.1%	77	1,435
GASTON	70	3.6%	1,186	61.2%	325	16.8%	64	356	18.4%	65	1,937
GATES	5	2.7%	123	65.8%	22	11.8%	10	37	19.8%	75	187
GRAHAM	12	4.1%	172	59.1%	45	15.5%	38	62	21.3%	84	291
GRANVILLE	18	2.4%	477	62.7%	120	15.8%	44	146	19.2%	68	761
GREENE	23	3.3%	455	65.3%	98	14.1%	20	121	17.4%	51	697
GUILFORD	145	4.0%	2,431	67.2%	545	15.1%	31	499	13.8%	17	3,620
HALIFAX	54	3.6%	921	61.9%	228	15.3%	36	286	19.2%	69	1,489
HARNETT	58	2.9%	1,288	63.3%	331	16.3%	54	358	17.6%	54	2,035
HAYWOOD	16	3.4%	303	64.3%	72	15.3%	35	80	17.0%	47	471
HENDERSON	25	2.3%	639	59.8%	205	19.2%	94	200	18.7%	66	1,069
HERTFORD	19	5.4%	222	62.9%	64	18.1%	85	48	13.6%	15	353
HOKE	22	1.9%	583	51.5%	177	15.6%	40	350	30.9%	101	1,132
HYDE	4	3.7%	70	64.2%	18	16.5%	57	17	15.6%	34	109
IREDELL	79	4.4%	1,244	68.8%	241	13.3%	16	243	13.4%	14	1,807
JACKSON	9	2.3%	246	62.1%	63	15.9%	47	78	19.7%	74	396

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

## Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 20 years of age, By County, NC-NPASS\*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		>=5th to <85th Percentile		>=85th to <95th Percentile			>=95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	4,363	3.8%	72,757	62.9%	18,458	15.9%	ORDER	20,150	17.4%	ORDER	115,728
JOHNSTON	66	3.7%	996	55.2%	326	18.1%	83	415	23.0%	94	1,803
JONES	6	3.1%	136	69.4%	31	15.8%	45	23	11.7%	8	196
LEE	25	3.0%	586	70.4%	116	13.9%	18	105	12.6%	12	832
LENOIR	102	11.1%	620	67.6%	80	8.7%	3	115	12.5%	11	917
LINCOLN	35	8.0%	302	68.6%	42	9.5%	4	61	13.9%	18	440
MACON	10	2.3%	268	62.9%	78	18.3%	87	70	16.4%	42	426
MADISON	8	3.3%	160	65.0%	40	16.3%	52	38	15.4%	32	246
MARTIN	15	3.0%	320	64.6%	85	17.2%	71	75	15.2%	28	495
MCDOWELL	19	3.2%	401	66.9%	91	15.2%	33	88	14.7%	24	599
MECKLENBURG	197	3.8%	3,283	62.6%	915	17.4%	77	850	16.2%	40	5,245
MITCHELL	14	5.6%	175	69.4%	32	12.7%	14	31	12.3%	9	252
MONTGOMERY	21	3.0%	396	57.3%	120	17.4%	76	154	22.3%	92	691
MOORE	27	3.1%	568	65.2%	153	17.6%	78	123	14.1%	20	871
NASH	75	7.7%	633	64.9%	117	12.0%	11	150	15.4%	30	975
NEW HANOVER	43	3.6%	799	67.3%	173	14.6%	28	172	14.5%	23	1,187
NORTHAMPTON	19	3.3%	309	54.3%	123	21.6%	100	118	20.7%	78	569
ONSLow	108	4.4%	1,692	69.7%	346	14.3%	22	282	11.6%	7	2,428
ORANGE	24	2.0%	760	61.9%	233	19.0%	91	210	17.1%	48	1,227
PAMLICO	7	2.4%	169	57.5%	56	19.0%	92	62	21.1%	82	294
PASQUOTANK	41	3.4%	689	57.0%	192	15.9%	46	286	23.7%	95	1,208
PENDER	35	3.6%	535	54.8%	156	16.0%	48	251	25.7%	98	977
PERQUIMANS	5	2.0%	135	55.3%	42	17.2%	72	62	25.4%	97	244
PERSON	16	3.1%	319	62.3%	83	16.2%	51	94	18.4%	64	512
PITT	50	2.7%	1,212	64.5%	321	17.1%	70	297	15.8%	37	1,880
POLK	4	2.2%	120	67.0%	28	15.6%	41	27	15.1%	26	179

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.

## Prevalence of Overweight, At-Risk for Overweight, and Underweight in Children 2 through 20 years of age, By County, NC-NPASS\*, 2006

HEALTH DEPARTMENT	UNDER WEIGHT		NORMAL		AT-RISK			OVER WEIGHT			TOTAL
	<5th Percentile		≥5th to <85th Percentile		≥85th to <95th Percentile			≥95th Percentile			
	#	%	#	%	#	%	RANK	#	%	RANK	#
STATEWIDE	4,363	3.8%	72,757	62.9%	18,458	15.9%	ORDER	20,150	17.4%	ORDER	115,728
RANDOLPH	47	2.9%	957	59.1%	293	18.1%	84	322	19.9%	76	1,619
RICHMOND	146	16.9%	571	66.2%	67	7.8%	2	78	9.0%	3	862
ROBESON	164	5.7%	1,858	64.8%	390	13.6%	17	454	15.8%	39	2,866
ROCKINGHAM	42	2.8%	932	61.2%	253	16.6%	59	296	19.4%	72	1,523
ROWAN	27	1.9%	826	58.8%	283	20.1%	98	269	19.1%	67	1,405
RUTHERFORD	47	5.1%	598	65.2%	131	14.3%	23	141	15.4%	29	917
SAMPSON	32	2.6%	710	58.2%	223	18.3%	86	255	20.9%	79	1,220
SCOTLAND	30	4.5%	469	69.6%	85	12.6%	13	90	13.4%	13	674
STANLY	46	7.7%	430	71.8%	65	10.9%	7	58	9.7%	4	599
STOKES	31	3.4%	526	58.2%	147	16.3%	53	200	22.1%	90	904
SURRY	44	2.8%	910	58.8%	252	16.3%	55	342	22.1%	89	1,548
SWAIN	1	0.6%	106	68.4%	22	14.2%	21	26	16.8%	45	155
TRANSYLVANIA	7	2.7%	167	64.0%	44	16.9%	65	43	16.5%	43	261
TYRRELL	9	3.6%	125	50.6%	37	15.0%	30	76	30.8%	100	247
UNION	58	2.9%	1,301	66.0%	308	15.6%	39	304	15.4%	31	1,971
VANCE	44	4.9%	583	64.5%	130	14.4%	24	147	16.3%	41	904
WAKE	249	2.9%	5,301	62.7%	1,400	16.6%	58	1,506	17.8%	57	8,456
WARREN	37	6.4%	374	64.6%	67	11.6%	9	101	17.4%	52	579
WASHINGTON	42	10.5%	268	67.2%	44	11.0%	8	45	11.3%	6	399
WATAUGA	19	3.1%	398	65.0%	86	14.1%	19	109	17.8%	58	612
WAYNE	26	1.7%	955	61.0%	311	19.9%	97	273	17.4%	53	1,565
WILKES	28	2.7%	623	60.1%	168	16.2%	50	218	21.0%	80	1,037
WILSON	30	2.1%	867	61.4%	261	18.5%	88	253	17.9%	59	1,411
YADKIN	25	3.7%	417	61.6%	115	17.0%	69	120	17.7%	56	677
YANCEY	13	3.2%	271	67.1%	65	16.1%	49	55	13.6%	16	404
Eastern Band of Cherokee Indians	3	2.1%	81	56.3%	34	23.6%	101	26	18.1%	61	144

\* North Carolina-Nutrition and Physical Activity Surveillance System (NC-NPASS) includes data on children seen in North Carolina Public Health Sponsored WIC and Child Health Clinics and some School Based Health Centers.